SLF / SUF 230 DES wet process



SUITABLE FOR


DES process is suitable for either single 500mm or 250mm wide material, and in continuous roll to roll operation.

DESCRIPTION

- 1 The board elements are reeled into the machine and pulled sequentially through the rollers.
- 2 After the board is processed it is winded onto the receiving rollers of the unloading system.
- 3 The system can automatically detach the protection foil before processing and laminate with a new one afterwards.
- 4 The machine is be equipped with a buffer system to connect foils for continous production.
- **5** The connection of foils needs to be done manually on an integrated connection table.



www.saa-symtek.com



ТҮРЕ	LOADER	UNLOADER
DIMENSIONS (LxWXH)	1900x1530x1500 mm	1500x1530x1500 mm
WORKING HEIGHT	1000 mm ± 50mm	
MAX. PANEL WIDTH	500 mm	
MIN.PANEL WIDTH	250 mm	
PANEL THICKNESS	1/4 ~ 1/2 oz	
TENSION	2~5 KgF mechanical (0.5~8 KgF electronical)	
E.P.C.	±0.5 mm	
THROUGHPUT	1~6 m/min	
LINK TIME	60 s (3 m/min)	
POWER	1PH 220V 50/60Hz 6KW	
	Other power configurations are available on demand.	
AIR	0.6 Mpa 10 NL/min	

